

SpliceMaster[®]
CableWash[™]
Washing Solution

For Cable Exterior Cleansing



FEATURES

- **MILD** – No harsh solvents to swell or damage cable jackets.
- **BIODEGRADABLE** – Water-based cleaner is environmentally friendly.
- **CONVENIENT** – Eliminates need to source water, brushes, and rags.
- **ECONOMICAL** – A clean and proper splice is always the least expensive.

Cable Cleansing

Dirt, mud, and clay must be removed from the exterior jackets of direct-buried cables prior to splicing. Solvents are not appropriate for this use as they tend to swell and damage cable jacket materials.



CableWash[™] is a mild, water-based cable washing solution for cleansing cable jackets prior to splicing. Its biodegradable formula contains no harsh solvents, and is compatible with jacket materials. It is non-freezing for cold weather application.

Catalog No.	Description	Units/CS	Image
CWS-22	22-oz CableWash [™] Solution bottle with trigger sprayer and bristle head.	12	
CWS-128	1-gallon CableWash [™] solution. (4/cs) For refilling CWS-22 only.	4	

Copyright ©2006. American Polywater Corporation. All Rights Reserved

Important Notice: The statements here are made in good faith based on tests and observations we believe to be reliable. However, the completeness and accuracy of the information is not guaranteed. Before using, the end-user should conduct whatever evaluations are necessary to determine that the product is suitable for the intended use.

American Polywater expressly disclaims any implied warranties and conditions of merchantability and fitness for a particular purpose. American Polywater's only obligation shall be to replace such quantity of the product proven to be defective. Except for the replacement remedy, American Polywater shall not be liable for any loss, injury, or direct, indirect, or consequential damages resulting from product's use, regardless of the legal theory asserted.

American Polywater[®]
Corporation

11222 60th St. N.
 Stillwater, MN 55082
 U.S.A
 1-800-328-9384
 1-651-430-2270
 fax 1-651-430-3634

support@polywater.com(e-mail)
 http://www.polywater.com(URL)

