POLYWATER® PR POWER CABLE LUBRICANT

- Universal Lube used to lubricate:
 - **♦ Signal Cable**
 - **♦ Distribution Cable**
 - ◆ Medium Voltage Cable
 - **♦ Control Cable**
 - Ducts & Feeder Tubes



- Complex Polymer <u>Liquid</u> Lubricant provides excellent friction reduction. Can be poured or pumped into duct. Pumps LP-D5 or LP-3 available
- High shear resistance allows friction reduction even under high sidewall pressure in bends. Great for HDPE conduits!
- Lubricant PR is slow drying. The residue is a thin, slippery film that retains lubricity for months after use.

Ordering Information

Description	Case qty
1-gal jug Polywater [®] PR	4 gal /cs
	2 /cs
5-gal pail Polywater [®] PR	1 ea
55-gal drum Polywater [®] PR	1 ea
275-gal tote Polywater [®] PR	1 ea
Winter-grade available upon request	
	1-gal jug Polywater [®] PR 2.5-gal jug Polywater [®] PR 5-gal pail Polywater [®] PR 55-gal drum Polywater [®] PR 275-gal tote Polywater [®] PR

For more information: www.polywater.com/polypr.asp

www.polywater.com/PumpLPD5.asp_or_www.polywater.com/PumpLP3.asp

Copyright © 2008. American Polywater Corporation. All Rights Reserved

Important Notice: The statements here are made in good faith based on tests and observations we believe to be reliable. However, the completeness and accuracy of the information is not guaranteed. Before using, the end-user should conduct whatever evaluations are necessary to determine that the product is suitable for the intended use

American Polywater expressly disclaims any implied warranties and conditions of merchantability and fitness for a particular purpose. American Polywater's only obligation shall be to replace such quantity of the product proven to be defective. Except for the replacement remedy, American Polywater shall not be liable for any loss, injury, or direct, indirect, or consequential damages resulting from product's use, regardless of the legal theory asserted.



P.O. Box 53 Stillwater, MN 55082 U.S.A

custserv@polywater.com(e-mai) http://www.polywater.com(URL) 1-800-328-9384 1-651-430-2270 fax 1-651-430-3634